

## Pedodontics consent

It is the policy of this dental practice to inform parents of all procedures contemplated for your child. At each examination appointment, we will identify any dental treatment needed and describe this to you and your child.

- Each regular examination visit consists of oral hygiene instructions, cleaning of the teeth, topical
  application of fluoride, radiographs (X-rays) if needed and examination of the teeth, hard and
  soft tissues of the mouth and the bite.
- Any other treatment needed such as fillings, caps, extractions, etc. will be performed at a separate appointment after obtaining your permission.

The law requires that we obtain your written informed consent for any treatment given to your child as a legal minor.

- I hereby authorize and direct Dr. \_\_\_\_\_\_ assisted by other dentists and/or dental auxiliaries of his/her choice, to perform the following dental treatment or oral surgery procedures, including the use of any necessary or advisable local anesthesia, radiographs (X-rays) or diagnostic aids.
- 2. In general terms the dental procedures or operation will include:
  - Cleaning of the teeth and the application of topical fluoride.
  - Application of plastic "sealants" to the grooves of the teeth.
  - Treatment of the diseased or injured teeth with dental restoration (filling or caps).
  - Replacement of missing teeth with dental prosthesis.
  - Treatment of malposed (crooked) teeth and/or oral developmental or growth abnormalities.
- 3. Use of local anesthesia, by injection, to numb the teeth worked on. Numbness usually lasts from 1 ½ to 3 hours. Allergic reactions are rare. Your child will be cautioned not to bite the numb lip and check. Please do not tell your child that they are going to get a "shot" as we have our special way of informing them about this.
- 4. Nitrous Oxide (laughing gas) is used to relax children so that they feel less pain of the injection. This gas is placed over the child's nose. Again, this gas is very safe. The nose piece, as with all treatment, will not be forced on the child.



## Pedodontics consent

## **Behavioral Management Techniques**

Among the behaviors that can interfere with the proper provision of quality dental care are: Hyperactivity, resistive movements, refusing to open the mouth or keep it open long enough to perform the necessary dental treatment and even aggressive or physical resistance to treatment, such as kicking, screaming and grabbing the dentist's hands or the sharp dental instruments.

All efforts will be made to obtain the cooperation of the child dental patients by the use of warmth, friendliness, persuasion, humor, charm, gentleness, kindness and understanding. There are several behavioral management techniques that are used by pediatric dentists to gain the cooperation of child patients to eliminate disruptive behavior or prevent them from causing injury to themselves due to uncontrollable movements. The more frequently used pediatric dentistry behavior management techniques are as follows:

Tell-show-do: The dentist or assistant explains to the child what is to be done using simple terminology and repetition and then shows the child what is to be done by demonstrating with instruments on a



## Pedodontics consent

model or the child's or dentist's finger. Then the procedure is performed in the child's mouth as described. Praise is used to reinforce cooperative behavior.

- Positive reinforcement: This technique rewards the child who displays any behavior which is desirable. Rewards include compliments.
- Voice control: The attention of a disruptive child is gained by changing the tone or increasing the volume of the dentist's voice. Content of the conversation is less important than the abrupt or sudden nature of a command.
- Mouth props: A rubber or plastic device is placed in the child's mouth to prevent closing when a child refuses or has difficulty maintaining an open mouth.
- Sedations: Sometimes drugs are used to relax a child who does not respond to other behavior
  management techniques or who is unable to comprehend or cooperate for the dental
  procedures. These drugs may be administered orally, by injection or as a gas (nitrous oxide and
  oxygen). Your child will not be sedated without you being informed and obtaining your specific
  consent for such procedure.

nitials:	Date :	